

# **GDV**source LLC

GDV Biofield Testing for Smart Technology Association at: ACEP Energy Psychology Conference

DATE - 6/02/13

#### **Background:**

The Quantum Sound Therapy (QST) process was informally evaluated in this study. QST involves taking a 15 second sample of the voice, analyzing it using a proprietary algorithm and delivering a 32 minute session of sound frequencies specifically designed to release deep stress from the Subtle energy field and restore balance to the emotional, mental and causal body. The balancing sound frequencies or tones were delivered through the Theta Love iQube which is a quantum energy instrument based on 3 miracoils, inert noble gases, light, sound frequencies and sacred geometry. The client holds an external Quantum Sound Therapy miracoil during the quantum sound therapy session. The Chakra Balancing iQube is reported to stimulate and balance the body's human biofield energy systems and create a feeling of well being as well as an increase physical and emotional energy. Voice analysis is used to produce customized healing tones for each subject. Further, the major systems of the body can benefit from the the healing energy of the iQube. Based on the results of this small pilot study, many of these claims were proven to be correct.

GDV source measured a small group of 4 subjects who were participating in the ACEP Energy Psychology Conference in the Exhibition Hall in Reston, VA.

#### **GDV Measurement Procedure:**

A Gas Discharge Visualization (GDV) Electrophotonic kirlian camera was used to capture the images. The fingertips of all subjects were captured one finger at a time, beginning with the right thumb without a cellophane filter over the lens. This reading provided information about the psycho-emotional energy information. Perspiration and oils, which are a nervous system response, were not blocked by through the use of a filter.

The filter was then placed on the lens to capture the physical energy response. The capture of the ten fingers was repeated. The captures were then calculated in a proprietary suite of software programs for numerous measurements including intensity, form coefficient, entropy, integral area, and activation coefficient, to name a few. The results were then evaluated in the three primary diagnostic programs: GDV Diagram, GDV Energy Field, and GDV Chakra.

Subject 1:female – 56 years-old;Occupation:CEO, Master Acupuncturist & ColorpuncturistSubject 2:female - 42 years-old;Occupation:Registered Nurse & Master Acupuncturist & ColorpuncturistSubject 3:female - 56 years-old;Occupation:Retired School PrincipalSubject 4:female - 52 years-old;Occupation:Entired School PrincipalSubject 4:female - 52 years-old;Occupation:Entired School Principal

## Below are some general guidelines for reading the scans:

#### **Guidelines For Reading GDV Programs**

All of the programs show the collective energetic emissions surrounding the 10 fingertips. Each finger relates to a sector or system of the body, based on years of research. The measured data is then displayed through various software programs in the GDV software package.

#### GDV Diagram:

This program measures the overall emission strength in each of the general organ systems. The left side relates to the past and long-standing issues as well as the right brain, and the right side relates to the present day and the left brain. The emotional (without filter) and the physical (with filter) circles should be as close together as possible. Gaps between the physical and emotional circles indicate a potential conflict. The letter "A" in the center of the picture is for the anxiety level. **Between 2-4 is a normal stress level.** All levels in the green area are normal energy, pink ring is deficient energy, and gold is hyper-energy. Generally, the physical energy is stronger than the emotional energy. The Area is the total amount of emissions, and Symmetry is the left to right side energy balance.

## **GDV Energy Field:**

The Energy fields show the collective measurements of the energy surrounding the fingertips as they are physically located on the body. The measurement "without filter" shows the emotional state of the person and "with filter" shows the physical state. The emission should be even around the entire body; gaps indicate low energy in that area, and spikes show excessive energy.

## GDV Virtual Chakra:

The Chakra program provides a deeper interpretation of the emotional priorities of the subject, and is calculated without the filter. Perfect alignment occurs with all of the large spheres in alignment on the centerline. Perfect alignment means merely that the subject is satisfied with where they are at emotionally in life. Smaller spheres indicate low energy centers. Chakra spheres skewed to the left side of the body picture relate to focusing the emotional energy towards self, or inner circle. The spheres skewed to the right side of the body picture indicate focusing the emotional energy towards the outer circle, or community.



## <u>GDV Testing Summary (refer to the attached Biofield Scans for specific details)</u> SUBJECT #1

## GDV Diagram (Before iQube)

- Activation Coefficient (AC) or Stress Level)) = 3.24
- Integral Area (JS)(Left to Right Laterality) = .12 (Left); .17 (Right)
- Conflicts between physical and emotional on the left indicate = Emotional energy low in liver, thoracic, immune system, (boundaries), & thyroid. Physical energy low in the left kidney, liver, rectum, jaw, throat & uro-genital, &hypophysis.
- Conflicts between physical and emotional on the right indicate = Emotional energy low in the spleen & the duodenum.
   Physical energy high in the jaw, throat, sacrum, lumbar, liver & right kidney

## GDV Diagram (After iQube)

- Activation Coefficient = 2.30
- Integral Area = .49 (Left); .49 (Right)
- Conflicts between physical and emotional on the left indicate = Emotional energy still high in the mammary/respiratory, rectum, left jaw & throat. Physical energy still high in the throat, jaw, rectum & kidney (urogenital and liver improved).
- Conflicts between physical and emotional on the **right** indicate =
   Emotional energy lower in the thoracic spine, spleen & appendix.
   Physical energy higher in the throat, jaw, blind gut & liver, but lower in the sacrum, lumbar, & right

kidney

## The issues that were effected by the iQube were:

The emotional energy became more balanced and the higher spikes (unbalanced) physical energy decreased.


Based on the GDV Diagram readings, the Activation Coefficient (STRESS LEVEL) **decreased significantly**, and the laterality (left-right brain balance) improved.



#### GDV Diagram

Left side

Right side



| # |  | Left JS | Left RMS | Right JS | Right RMS | Activation |
|---|--|---------|----------|----------|-----------|------------|
| 1 | Mary - Capture 1 - GDV-images without filter | 0.12    | 0.36     | 0.17     | 0.25      | 3.24       |
| 2 | Mary - Capture 1 - GDV-images with filter    | 0.54    | 0.20     | 0.56     | 0.22      | 3.24       |


© Kirlionics Technologies International

## **Before iQube**



#### GDV Diagram

Left side



© Kirlionics Technologies International

## After iQube




## GDV Energy Fields (Before & After iQube)

| CAMERA         | BEFORE<br>iQube                 | AFTER<br>iQube                  | Energy Levels  |
|----------------|---------------------------------|---------------------------------|--|
| Without filter | Area = 19,379<br>Symmetry = 92% | Area = 21,883<br>Symmetry = 93% | Emotional Area     Symmetry                            |
| With filter    | Area = 25,662<br>Symmetry = 94% | Area = 24,410<br>Symmetry = 93% | <ul><li>Physical Area</li><li>&amp; Symmetry</li></ul> |


Before iQube

After iQube





Physical Energy




Physical Energy






## GDV Chakra (Before iQube) Chakras 3 & 5 are moving towards community; desire to speak to others.



GDV Chakra (After iQube) The Chakras show better alignment and energy.



#### GDV Testing Summary (refer to the attached Biofield Scans for specific details)

SUBJECT # 2 \* The subject's long fingernails produced false readings in the coronary & cerebral vessels.

#### GDV Diagram (Before iQube)

- Activation Coefficient (AC) or Stress Level)) = 4.57
- Integral Area (JS)(Left to Right Laterality) = -.20 (Left); .02 (Right)
- Conflicts between physical and emotional on the left indicate = Emotional energy low in the coronary vessels, spleen, epiphysis (pineal), nervous system & sacrum, and high in the rectum.

Physical energy high (inflammation) in the coronary vessels, cerebral vessels, rectum & throat, & left kidney.

 Conflicts between physical and emotional on the **righ**t indicate = Emotional energy high in the epiphysis & right jaw, low in the hypophysis (pituitary). Physical energy high in throat, right jaw, blind gut, right kidney, uro-genital & sacrum.

## GDV Diagram (After iQube)

- Activation Coefficient = 3.22
- Integral Area = .59 (Left); .64 (Right)

 Conflicts between physical and emotional on the left indicate = Emotional energy low in the hypophysis, cerebral vessels & the right part of the heart, high in the throat, and left kidney.

Physical energy high (inflammation) in the left jaw, throat, rectum, liver, left kidney, cervical spine, thyroid, and sacrum.

 Conflicts between physical and emotional on the **right** indicate = Emotional energy higher overall, but better balance with the physical. Physical energy higher in the epiphysis & uro-genital, lower in the cerebral vessels.


## The issues that were effected by the iQube session:

Based on the GDV Diagram readings, the Activation Coefficient (STRESS LEVEL) **decreased significantly**, and laterality improved. Energy levels showed a decrease in stress in the cerebral and coronary vessels, which may have to be ignored due to the long fingernails.



#### **GDV Diagram**

Left side



| © Kirlionics | Technologies | International |
|--------------|--------------|---------------|


## **Before iQube**



#### **GDV Diagram**

Left side





© Kirlionics Technologies International

## After iQube




## GDV Energy Fields (Before & After iQube)

| CAMERA         | BEFORE<br>iQube                 | AFTER<br>iQube                  | Energy                     |
|----------------|---------------------------------|---------------------------------|----------------------------|
| Without filter | Area = 17,025<br>Symmetry = 88% | Area =19,254<br>Symmetry = 93%  | Emotional Area<br>Symmetry |
| With filter    | Area = 23,662<br>Symmetry = 94% | Area = 25,230<br>Symmetry = 94% | Physical Area              |

Before iQube

After iQube



Emotional Energy


Physical Energy

Physical Energy




## GDV Chakra (Before iQube)

Zig-zag pattern of Chakras indicates high stress state. Chakra #7 shows subject trying to gather information from other sources.



#### GDV Chakra (After iQube) Chakras more aligned.



#### <u>GDV Testing Summary (refer to the attached Biofield Scans for specific details)</u> SUBJECT #3

#### GDV Diagram (Before iQube)

- Activation Coefficient (AC) or Stress Level)) = 2.44
- Integral Area (JS)(Left to Right Laterality) = .39 (Left); .40 (Right)
- Conflicts between physical and emotional on the left indicate = Emotional energy high in the throat, liver & sacrum, low in the pituitary and thyroid. Physical energy high in throat, liver & sacrum.
- Conflicts between physical and emotional on the right indicate = Emotional energy low in the hypothalamus, sacrum, liver & kidney.
   Physical energy high in the hypothalamus, sacrum, liver, kidney, throat, blind gut, & nervous system.

## GDV Diagram (After iQube)

- Activation Coefficient = 2.13
- Integral Area = .68 (Left); .53 (Right)
- Conflicts between physical and emotional on the left indicate = Emotional energy high in the throat, liver & sacrum.
   Physical energy high in the throat, liver, sacrum & spleen.
- Conflicts between physical and emotional on the right indicate = Emotional energy high in the mammary, throat & kidney.
   Physical energy high in the throat, spleen, sacrum & lumbar.

The issues that were improved by the iQube swim were:


Based on the readings of the GDV Diagram, the Activation Coefficient **decreased**, and the laterality became slightly less balanced. Emotional and physical energy became more balanced in all systems with the exception of the throat and sacrum.











© Kirlionics Technologies International


#### **Before iQube**





Left side





## After iQube





## GDV Energy Fields (Before & After iQube)

| CAMERA         | BEFORE<br>iQube | AFTER<br>iQube | Energy         |
|----------------|-----------------|----------------|----------------|
| Without filter | Area = 19,008   | Area = 19,916  | Emotional Area |
|                | Symmetry = 91%  | Symmetry = 93% | Symmetry       |
| With filter    | Area = 22,407   | Area = 21,519  | Physical Area  |
|                | Symmetry = 93%  | Symmetry = 94% | Symmetry       |

Before iQube


After iQube








## GDV Chakra (Before iQube) All chakras aligned.



# GDV Chakra (After iQube)

All chakras still aligned.



## GDV Testing Summary (refer to the attached Biofield Scans for specific details)

SUBJECT #4 – Subject was very sensitive to the energy of the conference in general.

## GDV Diagram (Before iQube)

- Activation Coefficient (AC) or Stress Level)) = 2.86
- Integral Area (JS)(Left to Right Laterality) = .06 (Left); -.05 (Right)
- Conflicts between physical and emotional on the left indicate =

Emotional energy high in the left jaw and mammary/respiratory system, low in the coronary vessels & right part of the heart.

Physical energy high in the left jaw, throat, rectum, liver & left kidney.

 Conflicts between physical and emotional on the right indicate = Emotional energy high in the right jaw, throat, & blind gut.
 Physical energy high in the the right jaw, throat, blind gut, & right kidney

# GDV Diagram (After iQube)

- Activation Coefficient = 2.48
- Integral Area = .28 (Left); .22 (Right)
- Conflicts between physical and emotional on the left indicate = Emotional energy lower in the left throat, spleen, & right part of the heart. Physical energy high in the rectum, left kidney, & throat.
- Conflicts between physical and emotional on the **right** indicate = Emotional energy lower in the right jaw and more balanced with the physical overall. Physical energy high in the the right jaw, right kidney & liver.

## The issues that were effected by the iQube session were:

Based on the readings of the GDV Diagram, the Activation Coefficient (Stress level) **decreased** and the laterality improved.

Energy readings improved in the jaw & the liver (emotionally).


The subject was extremely sensitive to surrounding energy, including a 10 foot pyramid which was in the exhibit hall.












#### **Before iQube**







## After iQube




## **GDV Energy Fields (Before & After iQube)**



## GDV Chakra (Before iQube) Chakra #3 (towards inner circle).



GDV Chakra (After iQube) Chakras shifting as healing changes take place. Subject using her intuition, but talking about herself to others.



## **GDV Camera Calibration Data:**

| dia ata                 | o results                                |  |                                       |               |                      |               |                      |                |     |     |     | 1   | Page Arts | - |
|-------------------------|--|--|---------------------------------------|---------------|----------------------|---------------|----------------------|----------------|-----|-----|-----|-----|-----------|---|
|                         |  |  |                                       |               |                      |               |                      |                |     |     |     |     |           |   |
| an antice been          |  | Yeller   |                                       |               |                      |               |                      |                |     |     |     |     |           |   |
| ata and te<br>Dridentia | enagen files<br>ur                       | 4/10/2013 1:00:54 PM<br>5/20/2013 2:55 PF PM<br>6/20 Cases Pri with analog<br>0:52 % (should be less than<br>1:57 % | Neo Miloy(My Dr<br>2.00 %)<br>5.00 %) |               |                      | KCEP Confer   | ecel,                |                |     |     |     |     |           |   |
| v mages                 | sion                                     | 179 x 285  |                                       |               |                      |               |                      |                |     |     |     |     |           |   |
| in classes              | Date and time of capture                 | Interruba inequiety  | hena                                  |               | promity and          |               |                      |                |     |     |     |     |           |   |
| and they                | NORSCOLLED NO 12 PM                      | 0.42 % Dole year 4.00 %)   |                                       |               | 1.49 % (tolerance it |               |                      |                |     |     |     |     |           |   |
| and theme               | 5/06/2013 2:50:54 PM                     | 0.04 % (blockson 5.00 %)   | <ul> <li>S. M. W. Staters</li> </ul>  | 6a (5.00 %) - | 2.46% doleanse ti    | 40°%)         |                      |                |     |     |     |     |           |   |
| Contraction of the      | \$200(2011-2-50-56 PH                    | 0.4375 (selection 4.8076)  | 4.00 % (balers)                       | NO 15,0076    | 2.45 % (Interpret 8  | 00/942        |                      |                |     |     |     |     |           |   |
| DA Dep 1                | 1/08/2013 2:50:58 PM                     | - 0.42 % (take years 4.00 %)   |                                       |               | 2.44 % Other and 8   |               |                      |                |     |     |     |     |           |   |
| in the second           | 500000132510174                          | 0.04 % (bilerance 4.00 %)  |                                       |               | 2.19%-0.0emarca 8    |               |                      |                |     |     |     |     |           |   |
| in trees                | 100000013-051-03 PH                      | 0.04 % (Merchan 6.00 %)  |                                       |               | 3.11% (blocking)     | .00/%2        |                      |                |     |     |     |     |           |   |
| 17. beg -               | 1/06/2011 2151 45 PM                     | 0.04 % (otherwork 6.00 %)  |                                       |               | 2.44 % Other and B   |               |                      |                |     |     |     |     |           |   |
| 19 (see                 | 5/06/2013 2:51:00 PM                     | 0.43 % (toleratus 4.00 %)  |                                       |               | 2.52% Otherwood      | 40°%)         |                      |                |     |     |     |     |           |   |
| CR. berg.               | 100020413-51-00744                       | 0.62 % (bite avar 4.00 %)  |                                       |               | 3.45% (blocked) 8    |               |                      |                |     |     |     |     |           |   |
| ill lesp                | 1/08/2013 3/81 (2 PH                     | 0.02 % (otherwise 5.00 %)  |                                       |               |                      |               |                      |                |     |     |     |     |           |   |
| the long                | 5/06/2013 2:55:05 744                    | 0.55 % (toke area 4.50 %)  |                                       |               | 2.13 % (bite and 0   |               |                      |                |     |     |     |     |           |   |
| 12. iprop.              | 500000335560794                          | 3.07% (blocker 4.00%)  |                                       |               | 2.00% Orderance 8    |               |                      |                |     |     |     |     |           |   |
| C. Long                 | 5/06/2011 2:55-09 PM                     | 0.00 % (sterarce 4.00 %)   |                                       |               |                      |               |                      |                |     |     |     |     |           |   |
| in trap                 | 1/08/2011/2195/01 PM                     | 0.71 % Date and A.D. %   | 4.25 % (5.84)                         | NO 11.00%     | 1.45 % (bilerance it |               |                      |                |     |     |     |     |           |   |
| 111000                  |  |  |                                       |               | Bependence of the    | The st object | the phone service of | on month terms |     |     |     |     |           |   |
| 00206                   |  |  |                                       |               |                      |               |                      |                |     |     |     |     |           |   |
| 1799                    |  |  |                                       |               |                      |               |                      |                |     |     |     |     |           |   |
|                         | 1. |  |                                       |               |                      |               |                      |                |     |     |     |     |           |   |
| 54000                   |  |  |                                       |               |                      |               |                      |                |     |     |     |     |           |   |
|                         |  |  |                                       |               |                      |               |                      |                |     |     |     |     |           |   |
|                         | e 0                                      | 34 SI  | 50                                    | - 15          | 102                  | Note:         | 105                  | 153            | 129 | 180 | 204 | 224 | 298       |   |



# Final Analysis Summary Chart

| SUBJECT | AGE | STRESS<br>LEVEL<br>(AC) | LATERALITY<br>(BRAIN BALANCE) | EMOTIONAL<br>ENERGY | PHYSICAL<br>ENERGY | CHAKRA<br>ENERGY               | OVERALL<br>CHANGE  |
|---------|-----|-------------------------|-------------------------------|---------------------|--------------------|--------------------------------|--|
| #1      | 56  | LOWER                   | BETTER                        | 1                   | Ļ                  | BETTER<br>BALANCE ALL          | BETTER   |
| #2      | 43  | LOWER                   | BETTER                        | 1                   | 1                  | CHAKRAS<br>NOW<br>BALANCED     | BETTER   |
| #3      | 59  | LOWER                   | BETTER                        | 1                   | 1                  | CHAKRAS STILL<br>BALANCED      | BETTER   |
| #4      | 47  | LOWER                   | BETTER                        | Ļ                   | Ļ                  | SHIFTING<br>THROUGH<br>CHANGES | BETTER;<br>ENERGY<br>DROPPED BUT<br>SO DID STRESS;<br>OTHER<br>VARIABLES<br>CONSIDERED |



## Conclusions:

The measurements taken after a session with the iQube provided scientific proof that the stress levels were reduced, and emotional and energy fields increased after the therapy. All of the four subjects participating in the pilot study showed noticeable energetic improvements, as is summarized in the chart. Despite the fact that the data was collected at a well-attended Energy conference, as opposed to ideal research conditions, the results obtained from the pilot study were still significant.

The subjects may have also further improved over time, but this measurement was not taken.

## Recommendations:

The pilot study should be expanded as a formal study using a larger sample size as well as a control group. Measurements should be made before, shortly after, and again at least 1-2 hours after using the iQube in a quiet, clinical setting. Measurements should also be made over a sustained time interval to measure the long-term efficacy of the therapy.

Further, additional comparative studies should be taken measuring the effects of using comparable scalar or other energy balancing therapies

Comparative studies of this depth would provide significant validation in marketing and promoting the healing and balancing energy received from using the iQube!

Warm Regards,

CEO, GDVsource

mary milioy

